

Comparison of the MATCH and MERRA2 Aerosol Analyses

David Fillmore and Mark Sweeney

2016 April 27

CERES Science Team Meeting, NASA Langley, VA

Introduction

- ▶ **MATCH** aerosol distributions → **CERES SARB** SSF algorithm
- ▶ Terra and Aqua **MODIS** AOD retrievals → **MATCH** assimilation
- ▶ Terra and Aqua **MODIS** AOD retrievals → **MERRA2** assimilation

Current MATCH Work: Data Record Continuity

- ▶ **MATCH** assimilation of **MODIS** Collection 5.1 (**CERES** Edition 4)
- ▶ **MATCH** assimilation of **MODIS** Collection 6
- ▶ **MATCH** assimilation of **VIIRS MODIS-Like** Data Record





MATCH versus **MERRA2**

- ▶ comparison of aerosol distributions
- ▶ joint validation versus **AeroNet** surface network


- ▶ Continuing VIIRS only MATCH assimilation
- ▶ 2014 available for SARB
- ▶ 2012 - 2015 available for SARB soon

MERRA2 to supercede MATCH in Edition 5 SARB products?


- ▶ MATCH run on AMI MERRA2 from GMAO
- ▶ CERES dataset production runs require *frozen* model/algorithms
- ▶ Aerosol Types
Sea-Salt, Dust, Organic Carbon, Black Carbon, Sulfate
- ▶ Aerosol Optics
MATCH optics same as SARB Fu-Liou Radiative Transfer Model
but MERRA2 similar (based OPAC dataset)
- ▶ Temporal Resolution
both MATCH and MERRA2 available at hourly intervals
- ▶ Spatial Resolution
MERRA2 $\sim 0.5^\circ$ MATCH $\sim 2^\circ$
- ▶ AOD Assimilation
MATCH Optimal Interpolation
with "hard" correction (high MODIS weight)
MERRA2 Local Displacement Ensemble with softer correction




MATCH - MERRA2 DJF




MATCH - MERRA2 JJA




MATCH - MERRA2 MAM



MATCH - MERRA2 SON




Western Sahara AOD 2010 - 2015




MODIS


SaharaWest Aerosol Optical Depth




MATCH




MERRA2







MATCH




MERRA2




JJA 2010 - 2015




Arabian Peninsula AOD 2010 - 2015




Western Amazon AOD 2010 - 2015




MODIS






MATCH






MERRA2




Amazon AERONET Sites







Southern India AOD 2010 - 2015




MODIS




MATCH




MERRA2




North Western India AOD 2010 - 2015




MODIS




MATCH




MERRA2




North Eastern India AOD 2010 - 2015




MODIS




MATCH



MERRA2



China AOD 2010 - 2015



Conclusions

- ▶ MATCH tracks MODIS more closely than MERRA2 (by design)
- ▶ no large AOD discontinuities in MODIS to VIIRS
- ▶ large MATCH and MERRA2 differences over India and Asia
- ▶ will create a SARB compatible MERRA2 aerosol dataset